Inter-China

JIANGSU INTER-CHINA GROUP CORPORATION

- No. 116 Dingmaoqiao Road Zhenjiang China
- Sales@deanpestcontrol.com +86-511-84416352

Product name: Propamocarb hydrochloride 530g/L + Fosetyl-aluminium 310g/L SL **Product Specification:**

Item	Specification	
Propamocarb hydrochloride content, g/L	530 ± 25	
Fosetyl-aluminium content, %	310 ± 15.5	
pH value	6.0-7.5	
Persistent foam, mL (after 1min)	25 max	
Stability at 0 °C	Qualified	
Stability at elevated temperature Qualifi		

Introduction:

The product belongs to low toxic fungicides, which has systemic, protective and curative action. This product has great effects on preventing various diseases which caused by downy mildew and pythium.

Direction for use:

Crop	Target	Application Time	Dosage rate	Method
Cucumber	Downy mildew	Apply in early stage	2.0-2.5 L/ha	Spray
Tomato	Pythium	Apply after sowing	3.0-4.0 L/ha	Drip
		Try min sime		irrigation

Note:

- 1. Apply to cucumber on the downy mildew in early stage and apply for consecutive three times in a crop season with an interval of 7-10 days.
- 2. Apply not more than three times a crop season on tomato with an interval of 3 days.